

	Type	Hits	Search Text	DBs
1	BRS	57964	takeuchi-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	7	((("5184114") or ("6208073") or ("6443594") or ("6550953") or ("6329758") or ("6402354") or ("5375043"))).PN.	USPAT
3	BRS	1738	362/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	3470	362/30,555,559-561,800,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	370	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	303	S5 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	474335	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	38019	S7 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	137839	display and modul\$4 and (lights or lamps or LED\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	1661	S7 and S9 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	565	S8 and S9 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	69	S8 and S9 and (light guide) and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	2918	362/26,31,30,230,231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	474335	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1740048	display or (bill board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	137109	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	963	S13 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	32	S17 and ((different color\$4) with mix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	IS&R	3	((("6305813") or ("5640792") or ("5375043"))).PN.	USPAT
20	BRS	9	("4989956" "5101325" "5165772" "5227773" "5590945" "5707130" "5772304" "5791757" "5890796").PN.	US-PGPUB; USPAT; USOCR
21	BRS	6	("6305813").URPN.	USPAT
22	BRS	6	("6305813").URPN.	USPAT

	Type	Hits	Search Text	DBs
23	BRS	6	("3591941" "4385343" "5020252" "5251392" "5276591" "5365411").PN.	US-PGPUB; USPAT; USOCR
24	BRS	20	("5640792").URPN.	USPAT
25	BRS	6	("4975809" "5079675" "5124890" "5136483" "5147129" "5239450").PN.	US-PGPUB; USPAT; USOCR
26	BRS	48	("5375043").URPN.	USPAT
27	IS&R	1	("5184114").PN.	USPAT
28	BRS	11	("3595991" "3673462" "3940756" "3947840" "4086514" "4126812" "4271408" "4298869" "4367471" "4445132" "4661809").PN.	US-PGPUB; USPAT; USOCR
29	BRS	68	("5184114").URPN.	USPAT
30	BRS	68	("5184114").URPN.	USPAT
31	IS&R	1	("6539656").PN.	USPAT
32	BRS	0	van- hees-maria.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	0	van hees-maria.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	0	van hees-antonius-johannes-maria.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	IS&R	10	((("6000812") or ("6208073") or ("6415531") or ("6755547") or ("5375043") or ("6539656") or ("6305813") or ("6550953") or ("5184114") or ("6154362"))).PN.	USPAT
36	BRS	474335	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	1608	345/82,83,55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	854	345/82,83,55.ccls. and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	134	S40 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	1740048	display or (bill board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	129	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	72645	(light guide) or (wave guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	8	S43 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	208	345/589-605.ccls. and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
45	BRS	83	S46 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	81	S47 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	479	340/815.45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	18034	S38 and S42 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	1359	S56 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	3	S49 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	787	385/901.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	21	385/901.ccls. and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	0	("2004/0170373").URPN.	USPAT
54	BRS	31	385/15,147,129.ccls. and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	1	40/541,546,581.ccls. and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	7690	362/230,231,560,561,31,29,276,800-806,551.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	126	S64 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	IS&R	2	((("6154362") or ("6550953")).PN.	USPAT
59	BRS	7	("5093768" "5777433" "5931570" "5962971" "6252350" "6369506" "6404131").PN.	US-PGPUB; USPAT; USOCR
60	BRS	5	("6550953").URPN.	USPAT
61	BRS	5	("3054032" "4177502" "5119174" "5993027").PN.	US-PGPUB; USPAT; USOCR
62	BRS	2	("6154362").URPN.	USPAT
63	BRS	474787	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	38093	S71 and (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	234	((light emit\$5 diod\$4) or "LED") lamp (array or matrix or grid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	5912	S71 with (colors or (different colors)) and mix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	3030	S74 and (array or matrix or grid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	72697	(light guide) or (wave guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	383	S75 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
70	BRS	4	359/640.ccls. and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	IS&R	1	("6632004").PN.	USPAT
72	BRS	74	362/812.ccls. and 362/800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	9767	362/230,231,560,561,31,29,276,800-812,551,295,552,555,559,576.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	1741399	display or (bill board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	3439	S81 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	293	S83 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	196	S83 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	97	S84 not S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	IS&R	1	("6547400").PN.	USPAT
80	BRS	10	("4763975" "5634704" "5954424" "6038005" "6191872" "6227669" "6236382" "6249351" "6330111" "6386720").PN.	US-PGPUB; USPAT; USOCR
81	BRS	6	("6547400").URPN.	USPAT
82	BRS	72645	((light guide) or (wave guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	913	S90 with collimat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	41	S90 with (edge lit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	1	(S90 with (edge lit\$5)) same collimat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	9	(S90 with (edge lit\$5)) and collimat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	174	S90 and (edge with collimat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	198	362/31.ccls. and collimat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	IS&R	2	((("6824284") or ("6305813"))).PN.	USPAT
90	BRS	23	("2900949" "3561145" "3828182" "4257084" "4929866" "5165772" "5202950" "5590945" "5700078" "5771326" "5791757" "5796904" "5857770" "5890796" "6036340" "6192824" "6196691" "6217185" "6293683" "6305813" "6443582").PN.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
91	BRS	0	("6824284").URPN.	USPAT
92	BRS	9	("4989956" "5101325" "5165772" "5227773" "5590945" "5707130" "5772304" "5791757" "5890796").PN.	US-PGPUB; USPAT; USOCR
93	BRS	6	("6305813").URPN.	USPAT
94	IS&R	1	("6154362").PN.	USPAT
95	BRS	474915	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	9351	S103 and red and blue and green and mix\$5 and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	0	S104 and (lamp (array of grid or metrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	0	(lamp (array of grid or metrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	49	S104 and (lamp (array or grid or metrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	1975	(lamp (array or grid or metrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	613	(lamp (array or grid or metrix)) and (display or (bill board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	36	(lamp (array or grid or metrix)) and (display or (bill board)) and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	6069	(display or (bill board)) and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	3216	(display or (bill board)) and S104 and modul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	286	(display or (bill board)) and S104 and modul\$4 and (light guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	163	(display or (bill board)) and S104 and modul\$4 and (light guide) and edg\$\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	61643	modul\$4 with (display or (bill board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	35	(light guide) with (edg\$4 lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	46	(light guide) same (edg\$4 lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	97	(light guide) and (edg\$4 lit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	19	S118 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	16	S118 and S104 and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	6	S115 and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
114	BRS	1256	362/97,26,27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	41	362/97,26,27.ccls. and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	1	362/97.ccls. and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	249	362/97.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	11	"40"/\$.ccls. and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	15	("3175186" "4127844" "4613847" "4670736" "4981363" "5175528" "5803579" "5857759" "6018295" "6025775" "6526680" "6552658" "D294975" "D381923").PN.	US-PGPUB; USPAT; USOCR
120	BRS	0	("6799877").URPN.	USPAT
121	IS&R	1	("6502946").PN.	USPAT
122	IS&R	1	("6437763").PN.	USPAT
123	IS&R	1	("6805468").PN.	USPAT
124	IS&R	1	("6502946").PN.	USPAT
125	BRS	5	"191961".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	IS&R	1	("5375043").PN.	USPAT
127	IS&R	1	("6305813").PN.	USPAT
128	IS&R	1	("6539656").PN.	USPAT
129	IS&R	1	("6672734").PN.	USPAT
130	BRS	4	("5079675" "5575549" "5664862" "5718497").PN.	US-PGPUB; USPAT; USOCR
131	BRS	0	("6672734").URPN.	USPAT
132	BRS	6	("4975809" "5079675" "5124890" "5136483" "5147129" "5239450").PN.	US-PGPUB; USPAT; USOCR
133	BRS	48	("5375043").URPN.	USPAT
134	BRS	0	guest-christopher-william.in.	USPAT
135	BRS	2	("5420761" "6601962").PN.	US-PGPUB; USPAT; USOCR
136	BRS	0	("6805468").URPN.	USPAT
137	BRS	3	("6065846" "6357904" "6386720").PN.	US-PGPUB; USPAT; USOCR
138	IS&R	1	("6386720").PN.	USPAT
139	IS&R	1	("6597348").PN.	USPAT
140	IS&R	1	("6550953").PN.	USPAT
141	BRS	7	("5093768" "5777433" "5931570" "5962971" "6252350" "6369506" "6404131").PN.	US-PGPUB; USPAT; USOCR
142	IS&R	1	("6418267").PN.	USPAT

	Type	Hits	Search Text	DBs
143	BRS	11	("3295910" "3644922" "3815986" "4116739" "4650280" "5376980" "5381502" "5400178" "5832168" "6219184").PN.	US-PGPUB; USPAT; USOCR
144	BRS	3	("6418267").URPN.	USPAT
145	BRS	756	polymer (light emit\$5 diod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
146	BRS	4378	organic (light emit\$5 diod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
147	BRS	508	S154 with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
148	BRS	24	S153 with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
149	BRS	651	S153 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
150	BRS	0	S153 and display and pixle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
151	BRS	443	S153 and display and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
152	BRS	289	S153 and display and pixel and @ad<"20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
153	BRS	109	S153 and S154 and display and pixel and @ad<"20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
154	BRS	2368	345/82,83,55,102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
155	BRS	475847	(light emit\$5 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
156	BRS	1079	S162 and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
157	BRS	72863	(light guide) or (wave guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
158	BRS	66	S164 and S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB